



DEFENSE LOGISTICS AGENCY
DEFENSE SUPPLY CENTER, COLUMBUS
POST OFFICE BOX 3990
COLUMBUS, OH 43218-3990

IN REPLY
REFER TO

DSCC-VQE-07-013854 (Mr. Hood/614-692-0613/th)

SUBJECT: MIL-STD-750 Annual Summary of Testing, MIL-PRF-19500N, FSC 5961
Reporting Period: May 1, 2006 through April 30, 2007

Mr. Michael Heddlesten
Wyle Laboratories
5452 Betsy Ross Drive
Santa Clara, CA 95054

Dear Mr. Heddlesten:

We have received your annual summary of testing (cover letter dated May 18, 2007) for the assigned reporting period of May 1, 2006 through April 30, 2007. This summary meets the retention of laboratory suitability requirements.

Wyle Laboratories' MIL-STD-750 commercial laboratory suitability status granted by DSCC-VQ letter VQE-05-008472 continues to be valid under the conditions as stated in DoD 4120.24-M, SD-6, and the DSCC-VQ booklet titled *Laboratory Suitability Information*.

Your next summary for the period May 1, 2007 through April 30, 2008 is required to be submitted to this office within 60 days of the end of the reporting period. Failure to submit your summary may result in the removal of your MIL-STD-750 laboratory suitability.

If you have any questions, please contact Mr. Thomas Hood at 614-692-0613.

Sincerely,

RAYMOND L. KOLONCHUK
Chief
Electronic Devices Team

